

MATERIAL SAFETY DATA SHEET

HAZARD RATINGS HMIS

**BOSTIK FINDLEY**Health 1
Flammability 1
Reactivity 0
PPE X

1 CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product Name V058650
Alternate Item Number V058650
MSDS Name NEV-SZ REG NS130B 130
Generic Description Miscellaneous
Manufacturer Bostik Findley, Inc.
211 Boston Street
Middleton , MA 01949 USA

24 Hour Emergency Assistance

Phone: 1-800-227-0332

General Assistance

Phone: 1-978-777-0100

MSDS Assistance

Phone: 1-978-777-0100

2 COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage
Graphite	7782-42-5	10 - 30
Copper Powder	7440-50-8	5 - 10
Zinc oxide	1314-13-2	1 - 3
Aluminum	7429-90-5	1 - 3
Non-hazardous and other ingredients below reportable levels	Proprietary	Balance

3 HAZARDS IDENTIFICATION

Emergency Overview

Extended contact with this material may cause irritation to the skin, eyes, and mucous membranes. Primary Routes of Exposure: eyes, skin, and inhalation. Irritating fumes and gases may be released upon thermal processing or during combustion.

POTENTIAL HEALTH EFFECTS

SKIN CONTACT: This product may cause irritation to the skin. Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.

EYE CONTACT: This product may cause irritation to the eyes.

INHALATION: Fumes released during thermal processing may irritate respiratory system, skin and eyes.

INGESTION: Ingestion may cause gastrointestinal tract discomfort or damage.

Target Organs

Skin.

4 FIRST AID MEASURES

Skin

For minor exposures, wash thoroughly with soap and clean water. In situations involving considerable skin contact, place the contaminated person in a deluge shower for at least 15 minutes. Remove contaminated clothing to prevent further skin exposure and dispose of properly. Get medical attention if irritation persists.

Eye

Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Seek medical attention at once.

Inhalation

Move person to non-contaminated air. If the affected person is not breathing, apply artificial respiration. Seek medical attention.

Ingestion

Do not induce vomiting. If person is conscious and can swallow, immediately give two glasses of water. Seek immediate medical attention. Do not give anything by mouth to an unconscious or convulsing person.

Medical Conditions Aggravated By Exposure

Dermatitis.

Notes To Physician

Treat symptomatically and supportively. Contact Bostik Findley to determine whether any additional information is available.

5 FIRE FIGHTING MEASURES

Extinguishing Media

Use dry chemical, carbon dioxide, or foam. Water spray (fog).

Dust Explosion Hazard

None Known

Sensitivity To Mechanical Impact

None Known

Sensitivity To Static Discharge

None Known

Unusual Fire & Explosion Hazards

Product may burn and produce toxic gases in a fire.

Fire Fighting Equipment/Instructions

Firefighters should wear full protective clothing including self contained breathing apparatus.

Flash Point > 482 F (> 250 C)

6 ACCIDENTAL RELEASE MEASURES

Emergency Action

Appropriate safety measures and protective equipment should be used. See Section 8. Do not discharge to lakes, streams, ponds, or sewers. Dispose of in compliance with local, state, and federal regulations.

Spill Or Leak Procedure

Scrape up grease and deposit into appropriate containers for disposal.

7 HANDLING & STORAGE

Storage

Store in a clean, dry area. Keep containers closed.

Empty Container Precaution

Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Ventilation is not normally required.

Eye Protection

Wear safety glasses with side shields.

Skin And Body Protection

Wear protective impervious gloves to minimize skin exposure. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves.

Respiratory Protection

Not normally needed.

Exposure Limits

ACGIH - Occupational Exposure Limits - TWAs

Aluminum	7429-90-5	10 mg/m ³ TWA (metal dust)
Copper	7440-50-8	0.2 mg/m ³ TWA (fume); 1 mg/m ³ TWA (dusts and mists, as Cu)
Graphite	7782-42-5	2 mg/m ³ TWA (respirable fraction, all forms except graphite fibers)
Zinc oxide	1314-13-2	2 mg/m ³ TWA (respirable fraction)

OSHA - Vacated PELs - TWAs

Aluminum	7429-90-5	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)
Copper	7440-50-8	0.1 mg/m ³ TWA (fume, dusts, mists as Cu)
Graphite	7782-42-5	2.5 mg/m ³ TWA (respirable dust)
Zinc oxide	1314-13-2	5 mg/m ³ TWA (fume); 10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)

9 PHYSICAL & CHEMICAL PROPERTIES

Solubility In Water 0.1 %

Target Solids 100 %

MSDS Number	15261	Product	V058650
Label Number	15261	NA = Not Available	ND = Not Determined

Density	1.21 g/cc
Odor Threshold	NA
Octanol/Water Coefficient	NA
Odor	Hydrocarbon-Like
Color	Light Grey
Physical State	Paste
Freeze Protect	No

10 STABILITY & REACTIVITY

Stability/Incompatibility

Stable under normal conditions.

Hazardous Reactions/Decomposition Products

If product is burned hazardous gases such as oxides of carbon and nitrogen and various hydrocarbons may be produced.

Hazardous Polymerization

Will not occur.

Conditions To Avoid

Avoid contact with Strong Oxidizers and Strong Acids.

11 TOXICOLOGICAL INFORMATION

Ld50

NIOSH - Selected LD50s and LC50s

Zinc oxide 1314-13-2 Oral LD50 Mouse: 7950 mg/kg

Chronic Effects

Chronic overexposure to the hazardous materials in this product has been associated with dermatitis.

12 ECOLOGICAL INFORMATION

Ecotoxicological Information

No data available for this product.

13 DISPOSAL CONSIDERATIONS

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Waste Disposal

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Be aware that State and Local requirements may differ widely depending on location and may in many cases be different from Federal rules.

14 TRANSPORT INFORMATION

Comments

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations. This product is regulated under IMDG Classification for Ocean Transport as an environmentally hazardous substance, liquid, n.o.s. (contains copper metal powder), class 9, UN3082, PG III, Marine Pollutant.

Proper Shipping Name Non-Regulated
DOT Restrictions Not Applicable

15 REGULATORY INFORMATION

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200.

Federal Regulations

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Copper	7440-50-8	5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is equal to or exceeds 0.004 inches); 2270 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is equal to or exceeds 0.004 inches)
--------	-----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Based on an evaluation of the components used, this product does contain hazardous ingredients identified as per 29 CFR 1910.1200.

State Regulations

If this product contains any ingredients listed under California Proposition 65, they will be noted below:

International Regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations.

This is a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS). Class D Division 2 Sub-division B.

SARA 302 EXTREMELY HAZARDOUS SUBSTANCES

Not Regulated

SARA 311/312 HAZARD CATEGORIES

Immediate Hazard	No
Delayed Hazard	Yes
Fire Hazard	No
Pressure Hazard	No
Reactivity Hazard	No

SARA 313 TOXIC CHEMICALS

Component	CAS Number	Percentage
Copper Powder	7440-50-8	5 - 10

WHMIS RATINGS

WHMIS Status: Controlled

Other Toxic Effects-TOXIC - D2B

16 OTHER INFORMATION

Disclaimer

The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik Findley, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Issue Date 21-Apr-2004 **Supersedes** 10-Jul-2002
Prepared By Richard Sontag

MSDS sections updated

Composition / Information on Ingredients: List of Ingredients

Physical & Chemical Properties: Physical & Chemical Properties

Transport Information: Comments