Permatex. Inc. 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex

(877) 376-2839

Emergency: 800-255-3924

International Emergency: +01-813-248-0585

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

Product Name: MEDIUM STRENGTH THREADLOCKER BLUE GEL 5 GR

Item No: **Product Type:** Anaerobic

2. COMPOSITION/INFORMATION ON INGREDIENTS						
Component	Weight%	ACGIH; TLV-TWA	OSHA PEL:			
POLYGLYCOL DIMETHACRYLATE 25852-47-5	30-50	Not listed	Not Listed			
POLYESTER RESIN MIXTURE	20-40	Not listed	Not Listed			
BENZOATE ESTERS MIXTURE	10-30	Not listed	Not Listed			
TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE 67762-90-7	<10	10 mg/m ³	10 mg/m³ total dust			
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	<3	Not listed	Not Listed			
PROPYLENE GLYCOL 57-55-6	<3	Not listed	Not Listed			
TITANIUM DIOXIDE 13463-67-7	0.1-1.0	10 mg/m ³	15 mg/m³ TWA (total dust)			

3. HAZARDS IDENTIFICATION

May cause eye and skin irritation. At elevated temperatures may cause irritation of the respiratory tract. **Toxicity:**

Irritates mucous membranes. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. High concentrations may cause central nervous system (CNS) depression. May cause skin

sensitization. Note: This product does not contain microcyrstalline silica.

Primary Routes of Entry:

Eye and skin contact, ingestion, inhalation

Signs and Symptoms of Exposure: Repeated skin contact may cause allergic skin reactions. Skin redness. Ingestion may cause nausea and

vomiting. Inhalation overexposure may cause irritation, coughing and flu-like symptoms. May cause pain,

redness or swelling of the eyes and excessive blinking and tear production.

Component	Weight%	NTP	ACGIH Carcinogens	IARC
TITANIUM DIOXIDE 13463-67-7	0.1-1.0	male rat-negative, female rat-negative, male mice-negative, female mice-negative	A4	Group 2B; Vol 93,2006; Vol 47,1989

Medical Conditions Recognized as Being Aggravated by Exposure:

Preexisting skin disorders.

4. FIRST AID MEASURES

Ingestion: If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention. Inhalation: Move to fresh air in case of accidental inhalation of vapours. Obtain medical attention.

Wash off with soap and water. If skin irritation persists, call a physician. **Skin Contact:**

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical

attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point °F(C°):

Water fog, carbon dioxide, foam, dry chemical. **Recommended Extinguishing Media:**

Product Name: MEDIUM STRENGTH THREADLOCKER

BLUE GEL 5 GR

5. FIRE FIGHTING MEASURES

Special Fire-Fighting Procedures: Firefighters should wear self-contained breathing apparatus.

Hazardous Products of Combustion: Irritating vapors

Unusual Fire/Explosion Hazards: Closed containers may rupture or explode when exposed to extreme heat.

Lower Explosive Limit:

Upper Explosive Limit:

Not determined

Not determined

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until

disposal.

7. HANDLING AND STORAGE

Storage: Store below 100 degrees F.

Handling: Avoid prolonged skin contact. Keep away from eyes.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses.

Skin: Neoprene or nitrile gloves recommended.

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure

limits (or to the lowest feasible levels when limits have not been established) during the use of this

Item No: 24005

product.

Respiratory Protection: An approved organic vapor respirator should be worn when exposures are expected to exceed the

applicable limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Odor:

Boiling Point:

pH:

Solubility in Water:

Specific Gravity:

Blue gel

MILD

>150°C

Does not apply

Insoluble

1.1

VOC Content(Wt.%): <2% by weight Vapor Pressure: Not determined Vapor Density (Air=1): Heavier than air Evaporation Rate: Not Determined

10. STABILITY AND REACTIVITY

Chemical Stability:Stable at normal conditionsHazardous Polymerization:WILL NOT OCCUR.

Incompatabilities: Strong oxidizers, free radical initiators, inert gases

Conditions to Avoid: Heat

Hazardous Products of Combustion: Irritating vapors

11. TOXICOLOGICAL INFORMATION

See Section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations.

US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

Domestic Ground Transport

DOT Shipping Name: Unrestricted Hazard Class: None UN/ID Number: None

Product Name: MEDIUM STRENGTH THREADLOCKER <u>Item No:</u> 24005

BLUE GEL 5 GR

14. TRANSPORTATION INFORMATION

IATA

Proper Shipping Name: Not regulated Class or Division: None UN/ID Number: None

IMDG

Proper Shipping: Unrestricted Hazard Class: None UN Number: None

Marine Pollutant: None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

DIMETHYLBENZYL HYDROPEROXIDE

CALIFORNIA PROP 65:

No California Prop 65 chemicals are known to be present at or above the No Significant Risk Level.

TSCA Inventory Status:

Listed on Inventory: YES All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating: HEALTH 2, FLAMMABILITY 1, REACTIVITY 1.

Estimated HMIS Classification: HEALTH 2, FLAMMABILITY 1, PHYSICAL HAZARD 0

NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By: Denise Boyd, Manager-Environmental, Health & Safety Revision Date: July/26/2007

Company: Permatex. Inc. 10 Columbus Blvd. Hartford, CT USA 06106 Revision

Number:

Telephone No.: 1-87-Permatex (877) 376-2839