#### Permatex, Inc. 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex (877) 376-2839 Emergency: 800-255-3924 International Emergency: 813-248-0585

# **Material Safety Data Sheet**

## **1. PRODUCT IDENTIFICATION**

Product Name:SURFACE PREP 4.50Z AEItem No:24163Product Type:Activator

2. COMPOSITION/INFORMATION ON INGREDIENTS					
Ingredient	Weight Percent	ACGIH TLV:	OSHA PEL:		
HEPTANE 142-82-5	60-70	400 ppm TWA; 500 ppm STEL	500 ppm TWA; 2000 mg/m <sup>3</sup> TWA		
PETROLEUM GASES, LIQUEFIED, SWEETENED 68476-86-8	25-35	1000 ppm TWA	Not Listed		
ETHANOL 64-17-5	<2	1000 ppm; STEL 1000 ppm	1000 ppm TWA; 1900 mg/m <sup>3</sup> TWA		
ORGANO-COPPER COMPOUND 22221-10-9	<1	Cu 0.2 mg/m <sup>3</sup> fume; 1 mg/m <sup>3</sup> dust	Cu 1 mg/m <sup>3</sup> fume; 1 mg/m <sup>3</sup> dust		
ORGANO-COPPER COMPOUND 68084-48-0	<1	1 ppm; as Cu dusts or mist	Not Listed		
ORGANO-COPPER COMPOUND 85737-14-0	<1	1 ppm; as Cu dust or mist	Not Listed		

# 3. HAZARDS IDENTIFICATION

**Toxicity:** 

Inhalation:

May cause eye, skin and respiratory irritation. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. Aspiration hazard if swallowed. Excessive inhalation causes headache, dizziness, nausea, and incoordination. Eve and skin contact, ingestion, inhalation

Primary Routes of Entry: Signs and Symptoms of Exposure:

Contact with eyes may cause tearing and redness. Excessive accidental exposure may cause headache, dizziness, nausea and mild respiratory irritation. May cause skin irritation.

Ingredient	Weight Percent	NTP	ACGIH Carcinogens	IARC
ETHANOL	<2		A4 - Not Classifiable	Group 1 (drinking alcohol);
64-17-5			as a Human	Vol. 44, pg 35, 1988
			Carcinogen	

Medical Conditions Recognized as Being Aggravated by Exposure:

May aggrevate preexisting dermatitis. Since this product contain copper compounds, individuals with Wilson's Disease should avoid exposure to this product.

### 4. FIRST AID MEASURES Ingestion:

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Move to fresh air in case of accidental inhalation of vapours. Oxygen or artificial respiration if needed. Obtain medical attention.

 Skin Contact:
 Wash off with soap and water. If skin irritation persists, call a physician.

 Eye Contact:
 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

# 5. FIRE FIGHTING MEASURES

Flash Point (°F/C):	Extremely flammable aerosol per flame extension test
Recommended Extinguishing Media:	Carbon Dioxide, Dry Chemicals, Foam.
Special Fire-Fighting Procedures:	Firefighters should wear self-contained breathing apparatus. Keep containers cool. Use equipment or shielding required to protect against bursting or venting of containers.
Hazardous Products of Combustion:	Oxides of carbon, Copper oxide, Phosphorus acids

## 5. FIRE FIGHTING MEASURES

**Unusual Fire/Explosion Hazards:** 

Vapors may travel from container toward sources of ignition and flashback. Contents under pressure. Closed containers may rupture or explode when exposed to extreme heat. Keep containers cool. Do not puncture or incinerate container.

Lower Explosive Limit:	1.0
Upper Explosive Limit:	9.5

# 6. ACCIDENTAL RELEASE MEASURES

**Spill Procedures:** 

Handling:

Eliminate all sources of ignition. Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

### 7. HANDLING AND STORAGE Storage: Sto

Store away from heat, sparks or open flame. Do not store at temperatures above 120 degrees F. Avoid contact with skin and eyes. Do not inhale vapors. Keep away from heat and open flame. Do not puncture or incinerate container.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes:	Safety glasses
Skin:	Rubber or plastic gloves.
Ventilation:	General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.
Respiratory Protection:	An approved respirator (i.e. NIOSH, etc.) should be worn when exposures are expected to exceed the applicable limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Green liquid
Odor:	Solvent
Boiling Point:	Not determined
pH:	Does not apply
Solubility in Water:	Negligible
Specific Gravity:	0.66
VOC Content(Wt.%):	<98% by weight
Vapor Pressure:	71psig @ 70°F
Vapor Density (Air=1):	>1
Evaporation Rate:	<1 (ethyl ether = 1)

## **10. STABILITY AND REACTIVITY**

Chemical Stability: Hazardous Polymerization: Incompatabilities: Conditions to Avoid: Hazardous Products of Combustion: Stable at normal conditions WILL NOT OCCUR. Avoid contact with bases and strong oxidizers, Acids Keep away from heat, sparks and open flame. - No smoking Oxides of carbon, Copper oxide, Phosphorus acids

# **11. TOXICOLOGICAL INFORMATION**

See Section 3

## **12. ECOLOGICAL INFORMATION**

No data available

## **13. DISPOSAL CONSIDERATIONS**

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations. This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label. If recycling is not available, wrap the container and discard in the trash. D001 as per 40CFR 261.21

# **14. TRANSPORTATION INFORMATION**

DOT (49CFR 172)

#### Domestic Ground Transport

DOT Shipping Name:	Consumer Commodity (not more than one liter)
Hazard Class:	ORM-D
UN/ID Number:	None
Marine Pollutant:	Copper

#### IATA

Proper Shipping Name:	Consumer Commodity (Not more than 1 liter)
Class or Division:	Class 9
UN/NA Number:	ID 8000

#### IMDG

Proper Shipping:	Aerosols, Limited
Hazard Class:	Class 2.1
UN Number:	UN 1950

### **15. REGULATORY INFORMATION**

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

Quantity

COPPER COMPOUND

#### **CALIFORNIA PROP 65:**

No California Prop 65 chemicals are known to be present.

TSCA Inventory Status: Listed on Inventory: YES All components of this product are listed (or exempt) on the EPA TSCA inventory.

### **16. OTHER INFORMATION**

Estimated NFPA Rating:HEALTH 2, FLAMMABILITY 4, REACTIVITY 0Estimated HMIS Classification:HEALTH 2, FLAMMABILITY 4, PHYSICAL HAZARD 0NFPA is a registered trademark of the National Fire Protection Assn.HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By:	Denise Boyd, Health and Safety Manager			<b>Revision Date</b>	: December/20/2006	
Company:	Permatex. Inc.	10 Columbus Blvd.	Hartford,	CT USA 06106	Revision	2
					Number:	