

BNSS Never-Seez Hi-Temp Stainless Series Revision Date 06-Apr-2015 Supersedes Date: No information available

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Never-Seez Hi-Temp Stainless Series

Product Code BNSS

Product(s) Covered

BNSS1-BTC12 STAINLESS-S 12/1#BT NSSBT16 BNSS8BTC12 STAINLESS-S 12/8OZ BT NSSBT8

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended useLubricants, greases, release products.

Uses Advised Against No information available

1.3. Details of the Supplier of the Safety Data Sheet

Company Name

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

1.4. Emergency Telephone Number

Emergency Telephone Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2

2.2. Label Elements

EMERGENCY OVERVIEW

WARNING

Hazard statements

May cause an allergic skin reaction Suspected of causing cancer

BNSS Never-Seez Hi-Temp Stainless Series Revision Date 06-Apr-2015 Supersedes Date: No information available

Version 1



Appearance Paste Physical State Solid Odor Petroleum

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see first aid measures on this label)

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown Toxicity

1.26% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

May be harmful if swallowed. May be harmful in contact with skin.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

<u>O.E. MIXEUICO</u>		
Chemical Name	CAS No	Weight-%
Graphite	7782-42-5	10 - 30
Zinc oxide	1314-13-2	1 - 5
Aluminum	7429-90-5	1 - 5
Chromium	7440-47-3	1 - 5
Nickel	7440-02-0	0.1 - 1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

BNSS Never-Seez Hi-Temp Stainless Series Revision Date 06-Apr-2015
Supersedes Date: No information available

Version 1

General Advice Immediate medical attention is required.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician

immediately.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. Wash off immediately with soap

and plenty of water.

Inhalation Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation. Immediate medical attention is required. If not breathing, give artificial

respiration.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician or poison control center immediately.

Self-protection of the First Aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians May cause sensitization of susceptible persons.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

5.2. Special Hazards Arising from the Substance or Mixture

Specific Hazards Arising from the Chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

5.3. Advice for Firefighters

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

BNSS Revision Date 06-Apr-2015
Never-Seez Hi-Temp Stainless Series Supersedes Date: No information available

Version 1

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. Keep people away from and upwind of

spill/leak.

6.2. Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Do not allow into any sewer, on the ground or into any body of water. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for Cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Use

personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with

inert absorbent material.

6.4. Reference to other sections

Reference to Other Sections SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not

eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation,

especially in confined areas.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a cool, well-ventilated place.

Incompatible MaterialsNone known based on information supplied.

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

BNSS Never-Seez Hi-Temp Stainless Series Revision Date 06-Apr-2015

Supersedes Date: No information available

Version 1

Exposure Guidelines

Chemical Name ACGIH TLV NIOSH IDLH OSHA PEL Mexico Graphite TWA: 2 mg/m³ respirable IDLH: 1250 mg/m3 TWA: 15 mg/m3 total dust TWA: 2 mg/m³ fraction all forms except 7782-42-5 TWA: 2.5 mg/m3 natural synthetic TWA: 5 mg/m3 respirable graphite fibers respirable dust fraction synthetic TWA: 15 mppcf natural Zinc oxide STEL: 10 mg/m3 respirable IDLH: 500 mg/m³ TWA: 5 mg/m³ fume TWA: 5 mg/m³ 1314-13-2 TWA: 10 mg/m³ fraction Ceiling: 15 mg/m3 dust TWA: 15 mg/m3 total dust TWA: 5 mg/m3 respirable TWA: 2 mg/m3 respirable TWA: 5 mg/m³ dust and STEL: 10 mg/m³ fraction fume fraction STEL: 10 mg/m³ fume Aluminum TWA: 1 mg/m³ respirable TWA: 10 mg/m3 total dust TWA: 15 mg/m3 total dust TWA: 10 mg/m³ TWA: 5 TWA: 5 mg/m³ respirable TWA: 5 mg/m³ respirable 7429-90-5 fraction mg/m³ dust TWA: 5 mg/m³ Al fraction Chromium TWA: 0.5 mg/m³ IDLH: 250 mg/m³ TWA: 1 mg/m³ TWA: 0.5 mg/m³ 7440-47-3 TWA: 0.5 mg/m³ Nickel TWA: 1.5 mg/m³ inhalable IDLH: 10 mg/m3 IDLH: 10 TWA: 1 mg/m³ TWA: 1 mg/m³ mg/m³ Ni 7440-02-0 fraction TWA: 0.015 mg/m3 TWA: 0.015 mg/m³ except Nickel carbonyl Ni

Chemical Name	Argentina	Brazil	Chile	Venezuela
Graphite 7782-42-5	TWA: 2 mg/m ³	-	TWA: 1.6 mg/m ³	TWA: 2 mg/m ³
Zinc oxide 1314-13-2	TWA: 5 mg/m³ TWA: 10 mg/m³ STEL: 10 mg/m³	-	TWA: 4 mg/m ³	STEL: 10 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³
Aluminum 7429-90-5	TWA: 10 mg/m³ TWA: 5 mg/m³	-	TWA: 8 mg/m³ TWA: 4 mg/m³	TWA: 10 mg/m ³
Chromium 7440-47-3	TWA: 0.5 mg/m ³	-	TWA: 0.4 mg/m ³	TWA: 0.5 mg/m ³
Nickel 7440-02-0	TWA: 1.5 mg/m ³	-	TWA: 0.8 mg/m ³	TWA: 1.5 mg/m ³

8.2. Exposure Controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Respiratory Protection

Eye/Face Protection Tight sealing safety goggles.

Skin and Body ProtectionWear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Wash contaminated

clothing before reuse.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

BNSS
Never-Seez Hi-Temp Stainless Series

Revision Date 06-Apr-2015
Supersedes Date: No information available

Remarks • Method

Version 1

9.1. Information on Basic Physical and Chemical Properties

Physical StateSolidAppearancePasteColorGreyOdorPetroleum

Odor Threshold No information available

<u>Property</u> <u>Values</u>

pH No information available
Melting Point/Freezing Point No information available
Boiling Point No information available
Flash Point > 148.9 °C / > 300 °F
Evaporation Rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Water Solubility
Limit
No information available

Solubility in Other Solvents

Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
No information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)
No information available
No information available
No information available

Solid Content (%) 100.0 **Density** 1.190 g/cm³

VOC No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical Stability

Stable under recommended storage conditions. **10.3. Possibility of Hazardous Reactions**

None under normal processing.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

None known based on information supplied.

10.6. Hazardous Decomposition Products

BNSS Never-Seez Hi-Temp Stainless Series Revision Date 06-Apr-2015
Supersedes Date: No information available

Version 1

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on Toxicological Effects

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc oxide	> 5000 mg/kg (Rat)	-	-
1314-13-2			
Nickel	> 9000 mg/kg (Rat)	-	-
7440-02-0			

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Symptoms No information available. Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. No information available. Irritation Corrosivity No information available. No information available. Sensitization No information available. **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity Developmental Toxicity** No information available. No information available. **Teratogenicity** No information available. **STOT - Single Exposure STOT - Repeated Exposure** No information available.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure. May cause adverse effects on the bone marrow and blood-forming system. May

cause adverse liver effects.

Target Organ Effects Blood, Central nervous system, Central Vascular System (CVS), Eyes, Kidney, Liver,

Lungs, Nasal Cavities, Respiratory system, Skin.

Aspiration Hazard No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Chromium	-	Group 3	-	-
7440-47-3		-		
Nickel	-	Group 2B	Reasonably Anticipated	X
7440-02-0		-		

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

BNSS Never-Seez Hi-Temp Stainless Series Revision Date 06-Apr-2015 Supersedes Date: No information available

Version 1

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Zinc oxide 1314-13-2		LC50 (96h) =0.7 mg/L Fish (Danio rerio)		
Nickel 7440-02-0	EC50 72 h = 0.18 mg/L (Pseudokirchneriella subcapitata) EC50 96 h 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h > 100 mg/L (Brachydanio rerio) LC50 96 h = 1.3 mg/L (Cyprinus carpio semi-static) LC50 96 h = 10.4 mg/L (Cyprinus carpio static)		EC50 48 h > 100 mg/L (Daphnia magna) EC50 48 h = 1 mg/L (Daphnia magna Static)

12.2. Persistence and Degradability

No information available.

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

No information available.

12.5 Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Disposal of WastesIt is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

DOTNot regulatedIATANot regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

BNSS Never-Seez Hi-Temp Stainless Series Revision Date 06-Apr-2015
Supersedes Date: No information available

Version 1

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2A - Very toxic materials



United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No
Zinc oxide	1314-13-2
Aluminum	7429-90-5
Chromium	7440-47-3
Nickel	7440-02-0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

California Proposition 65

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
Nickel	7440-02-0
Lithium carbonate	554-13-2
Cobalt	7440-48-4

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

BNSS
Never-Seez Hi-Temp Stainless Series

Revision Date 06-Apr-2015 Supersedes Date: No information available

Version 1

Section 16: OTHER INFORMATION

Health Hazards 1* Flammability 1 Physical Hazards 0 Personal Protection X

Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 06-Apr-2015

Revision Note Not applicable.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet