

BNNS Never-Seez Nickel Nuclear Grd Revision Date 12-Jan-2017 Supersedes Date: 12-Jul-2016

Version 1.03

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name Never-Seez Nickel Nuclear Grd

Product Code BNNS

Product(s) Covered See section 16 for more information

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Recommended use**Lubricants, greases, release products.

Uses Advised Against No information available

#### 1.3. Details of the Supplier of the Safety Data Sheet

## **Company Name**

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

## 1.4. Emergency Telephone Number

**Emergency Telephone** Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

### 2.2. Label Elements

## **EMERGENCY OVERVIEW**

## DANGER

### Hazard statements

May cause an allergic skin reaction Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure

BNNS Never-Seez Nickel Nuclear Grd Revision Date 12-Jan-2017 Supersedes Date: 12-Jul-2016

Version 1.03



**Appearance** Paste

Physical State Solid

Odor Petroleum

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see first aid measures on this label)

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Hazards Not Otherwise Classified (HNOC)**

Not applicable

#### **Unknown Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

#### 2.3. Other Information

No information available.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Graphite	7782-42-5	10 - 30
Nickel	7440-02-0	10 - 30
Aluminum	7429-90-5	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

### **Section 4: FIRST AID MEASURES**

BNNS Revision Date 12-Jan-2017
Never-Seez Nickel Nuclear Grd Supersedes Date: 12-Jul-2016

Version 1.03

4.1. Description of First Aid Measures

General Advice If medical advice is needed, have product container or label at hand.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician

immediately.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. In the case of skin irritation

or allergic reactions see a physician. May cause sensitization by skin contact.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician or poison control center immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms** No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** May cause sensitization of susceptible persons.

4.4. Reference to Other Sections

Reference to Other Sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient.

#### 5.2. Special Hazards Arising from the Substance or Mixture

#### **Specific Hazards Arising from the Chemical**

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### 5.3. Advice for Firefighters

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

BNNS Revision Date 12-Jan-2017
Never-Seez Nickel Nuclear Grd Supersedes Date: 12-Jul-2016

Supersedes Date: 12-Jul-2016 Version 1.03

protective gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. Do not touch or walk through spilled

material. Stop leak if you can do it without risk.

6.2. Environmental Precautions

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Cover with plastic sheet to prevent

spreading.

Methods for Cleaning up

Use personal protective equipment as required. Take up with sand or other

non-combustible absorbent material and place into containers for later disposal. Clean

contaminated surface thoroughly.

6.4. Reference to other sections

Reference to Other Sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

Advice on Safe Handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Handle in accordance with good

industrial hygiene and safety practice.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

**Incompatible Materials**None known based on information supplied.

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control Parameters

BNNS Never-Seez Nickel Nuclear Grd Revision Date 12-Jan-2017 Supersedes Date: 12-Jul-2016

Version 1.03

\_\_\_\_\_

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Graphite	TWA: 2 mg/m³ respirable	IDLH: 1250 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	TWA: 2 mg/m <sup>3</sup>
7782-42-5	particulate matter all forms	TWA: 2.5 mg/m <sup>3</sup> natural	synthetic	
	except graphite fibers	respirable dust	TWA: 5 mg/m³ respirable	
			fraction synthetic	
			TWA: 15 mppcf natural	
Nickel	TWA: 1.5 mg/m³ inhalable	IDLH: 10 mg/m <sup>3</sup> IDLH: 10	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
7440-02-0	particulate matter	mg/m³ Ni		
		TWA: 0.015 mg/m <sup>3</sup> TWA:		
		0.015 mg/m <sup>3</sup> except Nickel		
		carbonyl Ni		
Aluminum	TWA: 1 mg/m³ respirable	TWA: 10 mg/m³ total dust	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup> TWA: 5
7429-90-5	particulate matter	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable	mg/m³
		dust TWA: 5 mg/m <sup>3</sup> Al	fraction	

Chemical Name	Argentina	Brazil	Chile	Venezuela
Graphite 7782-42-5	TWA: 2 mg/m <sup>3</sup>	-	TWA: 1.6 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Nickel 7440-02-0	TWA: 1.5 mg/m <sup>3</sup>	-	TWA: 0.8 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>
Aluminum 7429-90-5	TWA: 10 mg/m³ TWA: 5 mg/m³	•	TWA: 8 mg/m³ TWA: 4 mg/m³	TWA: 10 mg/m <sup>3</sup>

#### 8.2. Exposure Controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

**Respiratory Protection** 

**Eye/Face Protection** Tight sealing safety goggles.

Skin and Body Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly

after handling. Keep away from food, drink and animal feeding stuffs.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical StateSolidAppearancePasteColorGreyOdorPetroleum

Odor Threshold No information available

Property Values Remarks • Method

pH No information available
Melting Point/Freezing Point No information available
Boiling Point No information available
No information available
No information available
> 250 °C / > 482 °F

BNNS Revision Date 12-Jan-2017
Never-Seez Nickel Nuclear Grd Supersedes Date: 12-Jul-2016

Version 1.03

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Water Solubility

No information available

Solubility in Other Solvents

Partition CoefficientNo information availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information available

Kinematic Viscosity 64.3 mm2/s @ 40°C

Dynamic ViscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other Information

Softening PointNo information availableMolecular WeightNo information availableSolvent Content (%)No information available

**Solid Content (%)** 100.0 **Density** 1.250 g/cm<sup>3</sup>

**VOC** No information available

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical Stability

Stable under recommended storage conditions.

## 10.3. Possibility of Hazardous Reactions

None under normal processing.

### 10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

#### 10.5. Incompatible Materials

None known based on information supplied.

#### 10.6. Hazardous Decomposition Products

None known based on information supplied.

## Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on Toxicological Effects

BNNS Revision Date 12-Jan-2017
Never-Seez Nickel Nuclear Grd Supersedes Date: 12-Jul-2016

Version 1.03

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel	> 9000 mg/kg (Rat)	-	-
7440-02-0			
Aluminum	LD50 >10,000 mg/Kg (Rat)(OECD	-	-
7429-90-5	Guideline 401)		

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

No information available. **Symptoms** Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. No information available. Irritation Corrosivity No information available. Sensitization No information available. No information available. **Germ Cell Mutagenicity Reproductive Toxicity** No information available. **Developmental Toxicity** No information available. **Teratogenicity** No information available. **STOT - Single Exposure** No information available. **STOT - Repeated Exposure** No information available.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

Target Organ Effects Central Vascular System (CVS), Eyes, Lungs, Nasal Cavities, Respiratory system, Skin.

Aspiration Hazard No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Nickel	-	Group 2B	Reasonably Anticipated	X
7440-02-0				

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Nickel	EC50 96 h 0.174 - 0.311	LC50 96 h > 100 mg/L		EC50 48 h = 1 mg/L
7440-02-0	mg/L (Pseudokirchneriella	(Brachydanio rerio ) LC50 96		(Daphnia magna Static)
	subcapitata) EC50 72 h =	h = 10.4 mg/L (Cyprinus		EC50 48 h > 100 mg/L
	0.18 mg/L	carpio static) LC50 96 h =		(Daphnia magna )
	(Pseudokirchneriella	1.3 mg/L (Cyprinus carpio		, ,

BNNS Never-Seez Nickel Nuclear Grd Revision Date 12-Jan-2017 Supersedes Date: 12-Jul-2016

Version 1.03

subcapitata)	semi-static)	

## 12.2. Persistence and Degradability

No information available.

#### 12.3. Bioaccumulative Potential

No information available.

## 12.4. Mobility in Soil

No information available.

#### 12.5 Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste Treatment Methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

## Section 14: TRANSPORTATION INFORMATION

DOTNot regulatedIATANot regulatedIMDGNot regulated

## Section 15: REGULATORY INFORMATION

#### **Global Inventories**

TSCA	Listed
DSL	Listed

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### **WHMIS Hazard Class**

D2A - Very toxic materials

BNNS
Never-Seez Nickel Nuclear Grd

Revision Date 12-Jan-2017 Supersedes Date: 12-Jul-2016

Version 1.03



## **United States of America**

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.
Nickel	7440-02-0
Aluminum	7429-90-5

## SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **California Proposition 65**

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No.
Nickel	7440-02-0

## **Europe**

## Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

## Product(s) Covered

BNNNS1-FTC12 NU NICKEL SPL 12/1#FT NG165 BNNNS8BTC12 N/SEEZ NU NICKELSPL BTC8OZ/C12

Health Hazards 2\* Flammability 1 Physical Hazards 0 Personal Protection X

### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

#### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

**BNNS** Revision Date 12-Jan-2017 **Never-Seez Nickel Nuclear Grd** 

Supersedes Date: 12-Jul-2016

Version 1.03

**Revision Date** 12-Jan-2017

**Revision Note** SDS sections updated, 4, 9.

No information available **Training Advice** 

**Additional information** No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**